

Evaluation and Management of Inpatients with Potential Difficult Airway Intubation (DAI)

Patient has history or physical exam findings suggesting DAI

Is pt. in respiratory distress, or has impending need for intubation or surgery?

Was pt. previously diagnosed with DAI (Active Problem listed in Problems List)?

Automated EMR processes:
Providers/Staff: DAI pop-up visible once daily per staff, the first time the patient's EMR is opened
Resp Care: Page and order initiating bedside sign placement, bedside huddle upon admission or at diagnosis, and BID safety checks

While hospitalized is a RRT or Code initiated on the patient?

Report patient status changes to provider team

Call for help. Also page anesthesia at 816-458-6044. Proceed with standard resuscitation efforts as needed.

Consult ENT

Does ENT diagnose pt. with DAI?

DART Provider:
 1. Adds DAI to patient's problem list
 2. Creates *Critical Information Note*
 3. Communicates with PCP and provides EMS forms to caregivers regarding the DAI diagnosis

Team roles in Caring for Patients with Difficult Airway Intubation
Staff members responsible for communicating patient status changes to the provider team are:
 • Bedside RT
 • Bedside RN
 • Charge RT
 • Charge RN
Provider Team:
 • Responds to team reports of patient status change
 • Consult/Page In-House Anesthesia or ENT as needed
 • Maintain low threshold for PICU transfer in floor status pt. with DA
 • Huddle per unit

- ENT Consultation Reasons:**
- ENT or anesthesia intubation or bronchoscopy findings of:
 - Cormack-Lehane Grade III
 - Cormack-Lehane Grade IV
 - Severe laryngeal papillomatosis
 - Severe subglottis stenosis
 - Severe tracheal stenosis
 - Difficult intubation for other reasons
 - SYNDROMES** sometimes associated with a DAI
 - Pierre-Robin
 - Treacher Collins
 - Apert or Crouzon
 - Goldenhar
 - Choanal atresia
 - Other syndromes with features suspicious for a DAI
 - FEATURES** present with difficulty breathing:
 - Difficult intubation
 - Micrognathia
 - Macroglossia
 - Limited neck range of motion or unstable c-spine
 - Head and/or neck radiation
 - A head and/or neck lesion
 - Other facial asymmetry or abnormalities

Patient off guideline Primary/Consulting Teams determine management

Additional notes:

- Only admit DAI patients to AH
- Only DART Provider can add/remove DAI from the problem list
- Consult Anesthesia or PAT prior to planned sedation procedures

Algorithm revised: 05.2020; 06.15.2020; 7.8.2020
 Owner:
 DifficultAirwayReviewTeam@cmh.edu

