
ADVERSE CHILDHOOD EXPERIENCES

Adverse Childhood Experiences (ACEs)

(Total Service Area Children Age 0-17, 2018)




Sources:

• 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 338-345]

• Asked of all respondents about a randomly selected child in the household.

Adverse Childhood Experiences (ACEs)

(Total Service Area Children Age 0-17)





Notes:


• Asked of all respondents about a randomly selected child in the household.

For more information see: The State of Children's Health in the Kansas City Region, 2019,

https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



Total Number of Adverse Childhood Experiences (ACEs) by County



Sources:

Notes:

• Asked of all respondents about a randomly selected child in the household


For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community-benefit/community-benefit/community-health-needs-assessment



8.0% in 2015

^{• 2018} PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 365]

Total Number of Adverse Childhood Experiences (ACEs) by Age



Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 365]


Asked of all respondents about a randomly selected child in the household.



HOUSING and NEIGHBORHOOD CONDITIONS

Neighborhood Characteristics

(Total Service Area, 2018)



Sources:


- •. 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 348-351]
- Notes: Reflects the total sample of respondents


For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community-benefit/community-



Moved Residences Past Year

(Total Service Area, 2018)






Sources:

• 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 352]

Frequency of Worry or Stress Over Paying Rent/Mortgage in the Past Year

(Total Service Area, 2018)



Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 355]


Notes:

• Asked of all respondents



Year Home Was Built

(Households With Children; Total Service Area, 2018)



Sources:

• 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 356]


Notes:

Reflects the total sample of respondents.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



House Has Peeling Paint on Interior or Exterior




Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 357]

Notes:

• Asked of all respondents



Recent Signs of Mice, Rats, or Other Rodents Inside the Home



Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 358]

otes:

• Asked of all respondent

 $\underline{\text{https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment}}$




Someone Smokes Tobacco Inside the House

(Total Service Area, 2018)

Someone Smokes Tobacco Outside the House

(Total Service Area, 2018)



Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 102]

2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: • Asked of all respondents.

Children's Mercy

Districts with Over 100 Students who Identify as Homeless*

2017-18 School Year

District		# Student Homeless
Kansas City, Missouri		1,200
Independence		964
Kansas City, Kansas		942
Raytown		532
North Kansas City		514
Hickman Mills		482
Fort Osage	0.000 atualanta	462
Olathe	8,002 students	427
Shawnee Mission	ALL Districts in the for	Jr 346
Hogan	counties	326
Excelsior Springs	SY17-18	166
Turner		137
Lee's Summit		125
Liberty		121
Center		119
Smithville		117
Blue Valley		112

Source: Kansas and Missouri Departments of Education,

McKinney-Vento definition of homeles

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/




Day in the Life of a Child



Transportation to Child's School

(Total Service Area Children Age 5-17, 2018)



Sources:

2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 320]

Asked of all respondents with a randomly selected child age 5-17 at home; excludes those who are homeschooled

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community/benefit/community/health-needs-assessment





School Days Missed Due to Illness or Injury or Asthma

Number of School Days Missed in the Past Year Due to ILLNESS OR INJURY

Number of School Days
Missed Due to ASTHMA in the Past Year

(Total Service Area Children Age 5-17, 2018)








School Days Missed in the Past Year Because Child Felt Unsafe at School or on the Way to/from School

(Total Service Area Children Age 5-17, 2018)






[•] Asked of all respondents for whom the randomly selected child in the household is age 5-17.

Child Was Bullied in the Past Year

(Total Service Area Children Age 5-17, 2018)




- Sources: 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 74-75]
 - 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- lotes: Asked of those respondents for whom the randomly selected child in the household is age 5 to 17.
 - Cyberbullying includes electronic bullying such as through email, chat rooms, instant messaging, websites, or texting.





Child Has Own Smartphone

(Total Service Area Children Age 5-17, 2018)



Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 123]


• 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5-17.



Child Was Physically Active for One Hour or Longer on Every Day of the Past Week

(Total Service Area Children Age 2-17, 2018)







^{• 2017} PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 2 and 17





Child Was Physically Active for One Hour or Longer on Every Day of the Past Week

(Total Service Area Children Age 2-17, 2018)




Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 107]
- Asked of those respondents for whom the randomly selected child in the household is between the ages of 2 and 17.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes 100% 200% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



Number of Sports Teams Child Played On in the Past Year

(Total Service Area Parents of Children Age 5-17, 2018)






lotes:

• Asked of all respondents about a randomly selected child age 5 to 17 at home.



Food Security

(Total Service Area, 2018)



- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 329-330]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Reflects the total sample of respondents.




HEALTH CONDITIONS



Child Currently Has Asthma Parent Report

(Total Service Area, 2018)



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 125]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes:


• Asked of all respondents about a randomly selected child in the household.




Number of Asthma-Related ER/Urgent Care Visits and Hospital Stays in the Past Year, Parent Report

(Total Service Area Children with Asthma, 2018)

ER/Urgent Care Visits



Hospital Stays



Sources:

• 2018 PRC Child & Adolescent Hea

• 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 48]

Notes:


• Asked of respondents with a child who currently has asthma (n=146).


https://www.childrensmercv.org/in-the-community/community-benefit/community-health-needs-assessment


Four or More 10.8%



Asthma Urgent Care, Emergency Department, Inpatient Hospitalization Visits > 4 visits of any type in any one year at Children's Mercy 2016-2018








n= 758

8/30/2019



Child Is Overweight or Obese

(Parent Reported, Total Service Area Children Age 5-17 With a BMI in the 85th Percentile or Higher)



- Sources: 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 135]
 - 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Notes: Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
 - Overweight among children 5-17 is determined by child's Body Mass Index status at or above the 85th percentile of US growth charts by gender and age.
 - *BMI was calculated slightly differently in the 2012 study: age-in-years midpoints were used to calculate BMI in 2012; in 2015 and 2018, BMI cutoffs were

based on child's actual age in both years and months. Analysis shows that the difference between the two calculation methods is marginal.


For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community-benefit/community-health-needs-assessment



Child Obesity Prevalence

(Parent reported, Total Service Area Children Age 5-17 with a BMI in the 95th Percentile or Higher)

Healthy People 2020 Target = 14.5% or Lower




- Sources: 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 135]
 - 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
 - US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective NWS-10.4]
- Notes: Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
 - Obesity among children is determined by children's Body Mass Index status equal to or above the 95th percentile of US growth charts by gender and age.
 - *BMI was calculated slightly differently in the 2012 study: age-in-years midpoints were used to calculate BMI in 2012; in 2015 and 2018, BMI cutoffs were based on child's actual age in both years and months. Analysis shows that the difference between the two calculation methods is marginal.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment




Firearm Injuries-Fatal and Nonfatal- by Location Seen in the Children's Mercy Emergency Department 2016-2018



Child's Activity When Most Seriously Injured in Past Year

(Total Service Area Children Seriously Injured in the Past Year, 2018)



Sources: Notes: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 71]

• Asked of all respondents for whom the randomly selected child in the household was seriously injured in the past year.




MENTAL HEALTH



Child Has Been Diagnosed with Depression

(Total Service Area Children Age 5-17, 2018)



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 86]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes:

• Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.



Child Felt Sad or Hopeless for Two or More Weeks in the Past Year and Stopped Performing Usual Activities

(Total Service Area Children Age 5-17, 2018)



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 84-85]
- •. 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes:

• Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.



Child Needed Mental Health Services in the Past Year

(Total Service Area Children Age 5-17, 2018)



Sources

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 78]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes:



[•] Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.

Child Needed Mental Health Services in the Past Year

(Total Service Area Children Age 5-17, 2018)




Sources: Notes:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 78-79]
- Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes up to 200% of the federal poverty level: "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



Child Has Ever Taken Prescription Medication for Mental Health

(Total Service Area Children Age 5-17, 2018)



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 81]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes:


Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17

https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



Child Needed Mental Health Services in the Past Year

(Total Service Area Children Age 5-17, 2018)



Sources:

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community-benefit/community-health-needs-assessmen




^{• 2018} PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 78]

^{• 2017} PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.

Child Needed Mental Health Services in the Past Year

(Total Service Area Children Age 5-17, 2018)



Sources:


- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 78-79]
- Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes up to 200% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/benefit/community-health-needs-assessment



Child Has ADD/ADHD

(Total Service Area, 2018)



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 65]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes

• Asked of all respondents about a randomly selected child in the household.

Children's Mercy

Number of Times Contacted by School About Child's Behavior in the Past Year

(Total Service Area Children Age 5-17, 2018)



Sources:

2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 318]

Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/benefit/community-health-needs-assessment




CHILD AND ADOLESCENT MORTALITY



Child & Adolescent Mortality Rates by Age Group

(Annual Average Child Mortality per 100,000 Population; 2017)




Sources:

- CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted January 2019.
- US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective MICH-3.1]
- Rates are crude rates, representing the number of deaths of children in each age group per 100,000 population.

Children's Mercy

Leading Causes of Death By Age Group

(Number of Deaths by Cause, Total Service Area, 2013-2017)



Sources:

Notes:

 CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted January 2019.

*Congenital conditions include congenital malformations, deformations and chromosomal abnormalities.

**CNS stands for Central Nervous System.

Children's Mercy


INFANT HEALTH



Infant Mortality Rate

(Annual Average Infant Deaths per 1,000 Live Births, 2015-2017)

Healthy People 2020 Target = 6.0 or Lower



Sources:

Notes:

- CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted December 2018.
- US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective MICH-1.3]
- Infant deaths include deaths of children under 1 year old.
- This indicator is relevant because high rates of infant mortality indicate the existence of broader issues pertaining to access to care and maternal and child health.


For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment.



Infant Mortality by Race/Ethnicity

(Annual Average Infant Deaths per 1,000 Live Births, 2015-2017)

Healthy People 2020 Target = 6.0 or Lower



Sources:

Notes:


- CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted December 2018.
- US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective MICH-1.3]
- Infant deaths include deaths of children under 1 year old.
- This indicator is relevant because high rates of infant mortality indicate the existence of broader issues pertaining to access to care and maternal and child health.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



Leading Causes of Infant Mortality

(Total Service Area, 2013-2017)



Sources:

*Congenital conditions include congenital malformations, deformations and chromosomal abnormalities.


 $\underline{\text{https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment} \\$



CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics.
 Data extracted January 2019.

Position for Laying Baby to Sleep

(Total Service Area Parents of Infants Under One Year of Age; 2018)





Notes:


Asked of all respondents whose randomly selected child is under one year of age (n = 41).



^{• 2018} PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 333]

Child Was Ever Fed Breast Milk

(Total Service Area, 2018)
Healthy People 2020 Target = 81.9% or Higher



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 113]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective MICH-21.1]

Notes:

• Asked of all respondents about a randomly selected child in the household.


For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community-benefit/community-



Child Was Exclusively Breastfed for at Least 6 Months

(Total Service Area, 2018)

Healthy People 2020 Target = 25.5% or Higher



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 130]
- 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective MICH-21.5]

Notes:


• Asked of all respondents about a randomly selected child in the household.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



If Respondent Had a Newborn, Would NOT Want Him/Her to Get All Recommended Vaccinations

(Total Service Area Parents, 2018)



Sources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 115-116]

2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.


Notes:
• Asked of all respondents.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community-benefit/community-



Person from an In-Home Visiting Program Visited the Home

(Total Service Area Parents, 2018)



Sources:

2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 334-335]

Asked of all respondents about a randomly selected child in the household.


Ag Chil

HEALTH SERVICES UTILIZATION



Child Visited a Physician for a Routine Checkup in the Past Year

(Total Service Area, 2018)



Sources:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 27]
- US Department of Health and Human Services. Healthy People 2020. December 2010. http://www.healthypeople.gov [Objective AH-1]

Notes:


- Asked of all respondents about a randomly selected child in the household.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes up to 200% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

For more information see: The State of Children's Health in the Kansas City Region, 2019, https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



Barriers to Access Have Prevented Child's Medical Care in the Past Year

(By County, 2018)



Sources:


• Asked of all respondents about a randomly selected child in the household.



^{• 2018} PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 17-23]

Experienced Difficulties or Delays of Some Kind in Receiving Child's Needed Healthcare in the Past Year

(Total Service Area, 2018)



Sources:


- 2018 PRC Child & Adolescent Health Survey. Professional Research Consultants. Inc. [Item 138]
- Asked of all respondents about a randomly selected child in the household.
- Represents the percentage of respondents experiencing one or more barriers to accessing their child's healthcare in the past 12 months.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
 Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes up to 200% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

https://www.childrensmercv.org/in-the-community/community-benefit/community-health-needs-assessment



Barriers to Access Have Prevented Child's Medical Care in the Past Year

(By County, 2018)




2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 17-23]

Asked of all respondents about a randomly selected child in the household



Evaluation of Difficulty Getting Specialty Care for Child in the Past Year

(Total Service Area Parents of Children Needing to See a Specialist in the Past Year, 2018)




Source: • PRC Child & Adolescent Health Surveys, Professional Research Consultants, Inc. [Item 29]

2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: • Asked of respondents for whom the randomly selected child in the household has needed to see a specialist in the past year.

Child Used a Hospital Emergency Room More Than Once in the Past Year

(Total Service Area, 2018)




- Sources: 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 39-40]
 - 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
 - otes:
 Asked of all respondents about a randomly selected child in the household.

https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment




Emergency Room Visits

(Among Total Service Area Children With Any ER Visits in the Past Year, 2018)



ER Visit Was for Something That Might Have Been Treated in a Doctor's Office



Reason for Using the Hospital ER Instead of a Doctor's Office or Clinic (Among Those Responding "Yes" at Left)

ources: • 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 41-42]

otes:


• Asked of respondents for whom the randomly selected child in the household used a hospital ER in the past year.

https://www.childrensmercv.org/in-the-community/community-benefit/community-health-needs-assessment



Number of Visits to an Urgent Care Center or Other Walk-in Clinic in the Past Year

(Total Service Area, 2018)










Child Used an Urgent Care Center, QuickCare Clinic, or Other Walk-In Clinic in the Past Year

(Total Service Area, 2018)




- Sources: 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 43]
 - 2017 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Notes: Asked of all respondents about a randomly selected child in the household.

https://www.childrensmercy.org/in-the-community/community-benefit/community-health-needs-assessment



Child Used a Hospital Emergency Room More Than Once in the Past Year

(Total Service Area, 2018)




Sources: Notes:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 39]
- Asked of all respondents about a randomly selected child in the household.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes up to 200% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



Child Used an Urgent Care Center, QuickCare Clinic, or Other Walk-In Clinic in the Past Year

(Total Service Area, 2018)



Sources: Notes:

- 2018 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 43]
- Asked of all respondents about a randomly selected child in the household.
- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Low Income" includes households with incomes up to 200% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

